



New Product Brief

International Unswitched Socket Module

INTRODUCTION

MK are pleased to introduce International unswitched socket outlet Euro module in 50 x 50mm size that can be used with all MK 2M Euro front plates.



SX2837 WHI



SX2837 BLK

List No	Description
SX2837 WHI - SA	International 2P + E 16A 250V shuttered unswitched socket in Euro 2 Module - White
SX2837 BLK - SA	International 2P + E 16A 250V shuttered unswitched socket in Euro 2 Module - Black

PRODUCT FEATURES:

- 2 pins operated shutter to prevent user from direct access to live parts through L or N aperture
- It is designed to mount in a 35mm depth flush box and 40mm surface box
- Capable to operate safely with 11 types of selected plug tops.
- Earth aperture is shuttered so that the earth clip is not visible when the product is not in use
- Angle terminals and funnel entrance for ease of installation.

INSTALLATION

The International unswitched socket outlet modules are suitable for mounting with in MK Euro Front Plates of 50 x 50 mm aperture.

Note: On some MK 2M Euro front plates the module seating may protrude out of the front plate.

ELECTRICAL CONNECTIONS

Terminals clearly marked with L, N and Earth symbols. Follow installation guidelines as per 16th Edition Wiring Regulations or any applicable local installation standards.

SPECIFICATIONS

Input Voltage Rating : 250V a.c.
Current Rating : 16A max.

Terminal Capacity
Live, Neutral & Earth : 3 x 4mm²
2 x 6 mm²

Physical

Ambient operating temperature : -5°C to +40°C
IP rating : IP2XD
Maximum installation altitude : 2000 metres

STANDARDS AND APPROVALS:

Complies with BS EN 60884 - 1

PLUGS

Suitable to accommodate plugs as follows:

Plug Type	Plug Type	Rating	Country	Diagrams
2-pin plug (Non-Earth)	Type A	2.5A, 250V	North America (United States and in many other countries including Canada, Mexico, Guatemala, Jamaica and Venezuela)	
2-pin plug (Euro)	Type C	2.5A, 250V	Most of countries in continental Europe & also widely used in South Africa	
2-pin plug round	Type E	10/16A, 250V	Primarily used in France, Belgium, Poland, Slavakia, the Czech Republic, Tanazia & Morocco	
2-pin plug (Non-Earth)	Type F	10/16A, 250V	Germany, Austria, the Netherlands, Sweden, Norway, Finland, Portugal, Spain and Eastern Europe	
3-pin plug BS	Type G	13A, 250V	Mainly used in the United Kingdom, Ireland, Cyprus, Malla, Malaysia, Singapore and Hong Kong	
3-pin plug round BS	Type D	5A, 250V	Used almost exclusively in India, Sri Lanka, Nepal and Namibia	
2-pin Australia plug	Type H	7.5A, 250V	Primary used in Australia	
3-pin Australia plug	Type I	10A, 250V	Mainly used in Australia, New Zealand, Papa New Guinea and Argentina	
3-pin Australia plug	Type I	15A, 250V	Mainly used in Australia, New Zealand, Papa New Guinea and Argentina	

AVAILABILITY:

The module is now available.